

The Catalytic Diet

Diet Suggestions to Help People Feel Their Best

White Paper

Author: Dr. Roger Billings

July 2, 2026

Overview

How we eat, move, sleep, and relate to one another shapes how we feel every day — our energy, our mood, our blood sugar, and our long-term health. The good news from decades of research is that the changes with the strongest evidence are also, for the most part, simple and within reach. They do not require an exotic regimen or perfect discipline.

The Catalytic Diet is built around a whole-food, plant-forward way of eating: plenty of vegetables, fruit, whole grains, legumes, nuts, and healthy oils, with fish where desired, and far less red and processed meat, added sugar, and ultra-processed food. This pattern overlaps closely with the Mediterranean style of eating, which has some of the strongest outcome evidence in all of nutrition. Paired with regular movement, good sleep, lower stress, and genuine human connection, it forms a practical foundation for feeling well. This paper lays out what the research shows, and how to put it into practice.

The Core Premise: Three Patterns That Hold Us Back

Much of modern ill health traces to three overlapping dietary patterns. Reducing each is among the most reliable things a person can do.

Too much red and processed meat

Processed meats — bacon, sausage, deli meats, hot dogs — are classified by the World Health Organization's cancer agency as a group 1 carcinogen for colorectal cancer, the same category used for established causes. Higher intake of red and processed meat is also associated in large studies with greater risk of cardiovascular disease and type 2 diabetes. Cutting back — and replacing these foods with legumes, fish, poultry, and plant proteins — is a well-supported step toward better health.

Too much added sugar

High intake of added sugars, and sugar-sweetened beverages in particular, is consistently linked with weight gain, type 2 diabetes, and heart disease. Liquid sugar is especially problematic because it adds calories without satisfying hunger. Choosing water, and getting sweetness from whole fruit rather than

from added sugar, removes one of the most concentrated sources of metabolic strain in the modern diet.

Too much ultra-processed food

Ultra-processed foods — industrial formulations of refined starches, oils, sugars, salt, and additives — now make up a large share of calories in many countries. In a tightly controlled inpatient trial, people allowed to eat freely consumed roughly **500 more calories per day** and gained weight on an ultra-processed diet compared with a minimally processed diet matched for nutrients, simply because these foods are engineered to be eaten quickly and in large amounts. Shifting toward whole and minimally processed foods helps the body's own appetite signals work as intended.

What to Eat Instead: The Catalytic Pattern

The foods that displace meat, sugar, and processed products are the same ones with the strongest evidence for helping people live longer and feel better.

Fiber and whole grains

A large series of systematic reviews and meta-analyses — 185 observational studies and 58 trials — found that people eating the most dietary fiber, roughly **25–30 grams per day or more**, had about 15–30% lower all-cause and cardiovascular mortality, and 16–24% lower rates of coronary heart disease, stroke, type 2 diabetes, and colorectal cancer. The benefit continued to rise at higher intakes, and controlled trials showed that increasing fiber improved blood sugar control, cholesterol, and body weight. Most people eat well below the recommended amount. Whole grains, fruits, vegetables, and legumes are the way to close that gap.

A Mediterranean-style pattern

The PREDIMED trial randomized about 7,400 adults at high cardiovascular risk to a Mediterranean diet enriched with extra-virgin olive oil or nuts, or to a lower-fat control diet, with *no calorie restriction*. The Mediterranean groups had roughly a **30% lower rate of major cardiovascular events** — heart attack, stroke, or cardiovascular death — and the same pattern was associated with lower rates of diabetes, metabolic syndrome, and high blood pressure. This is among the best interventional evidence available for any whole diet.

Healthy fats in place of saturated fat

Replacing saturated fats — largely from red meat, butter, and processed foods — with unsaturated fats from olive oil, nuts, seeds, avocado, and fish improves the balance of blood lipids and lowers cardiovascular risk. Fat is not the enemy; the type and source are what matter. Generous use of extra-virgin olive oil and a daily handful of nuts were central to the PREDIMED benefit.

A note on protein. When meals are built mostly from plants and whole grains, protein naturally settles into a moderate share of calories without anyone having to count it. There is early and interesting research suggesting that a moderate protein intake may favorably influence metabolic signaling (for

example, through the hormone FGF21), but that work is still developing and is not the reason to eat this way. The reason is the strong, consistent outcome evidence for the whole-food pattern itself. Protein should remain adequate — never driven below need — and simply does not need to be the focus.

How Strong Is the Evidence?

Honesty about certainty matters. The recommendations in this paper are graded below by the strength of the research behind them.

Recommendation	Strength of evidence
Eat more fiber and whole grains	Strong — large meta-analyses + trials
Follow a Mediterranean-style, plant-forward pattern	Strong — randomized trial + cohorts
Replace saturated fat with unsaturated fat	Strong — trials + cohorts
Reduce red and processed meat	Strong — WHO classification + cohorts
Reduce added sugar and sugar-sweetened drinks	Strong — large cohorts + mechanism
Reduce ultra-processed food	Strong/Moderate — inpatient trial + cohorts
Be physically active	Strong — large cohorts + guidelines
Prioritize good sleep	Strong — experimental + cohorts
Nurture social connection	Strong — large meta-analyses
Reduce chronic stress; ease weight-shame	Moderate/Strong — stress + stigma research
Moderate protein / FGF21 signaling	Emerging hypothesis — small, short studies

Putting It on the Plate

A simple rule of thumb builds a Catalytic meal without any arithmetic: fill about half your plate with vegetables and fruit, about a quarter with whole grains or a starchy vegetable, add one to two thumbs of healthy fat (olive oil, avocado, nuts, or seeds), and keep concentrated protein to a modest portion — often supplied by beans, lentils, or whole grains themselves. Aim, over the day, for 25–30 grams of fiber or more.

Because fat is calorie-dense, the most common misstep is a heavy hand with oil — measure it rather than free-pouring. Beyond that, the pattern is forgiving. A companion practical guide provides ready-to-use breakfast, lunch, and dinner menus for those who would like specific meals to follow.

Beyond the Plate: Living to Feel Your Best

Food is only part of the picture. Four other habits have research behind them as strong as anything in nutrition, and they reinforce one another — better sleep makes healthy eating easier, movement improves sleep, connection lowers stress, and so on.

Move your body

Physical activity is one of the most powerful health interventions known. Across 80 studies of more than a million people, those who were most active had roughly a **35% lower risk of dying** over follow-up than the least active. The widely recommended target — about 150 to 300 minutes of moderate activity per week, such as brisk walking, plus a couple of sessions of muscle-strengthening — lowers the risk of heart disease, stroke, diabetes, and several cancers, and improves mood, energy, and blood sugar. Strength training deserves special mention as we age: it preserves the muscle that keeps us strong, steady, and metabolically healthy.

Movement also does something many people notice right away: a good day of exercise leads to better sleep that night. That link is well documented, and it is one of the simplest ways to start a positive cycle.

Rest well

Sleep is not idle time; it is active repair. When people are short on sleep — habitually under about seven hours — the body becomes more insulin-resistant, the hunger hormone ghrelin rises while the satiety hormone leptin falls, and cravings for sugary and processed foods increase. Even a few nights of restricted sleep can push healthy volunteers toward insulin resistance, and habitual short sleep is associated with roughly **38% higher odds of obesity**. Protecting sleep — a consistent schedule, a dark cool room, and less late-night screen time — supports every other goal in this paper.

Ease your stress

Chronic stress is not just unpleasant; it drives up cortisol, which promotes abdominal fat storage and cravings for high-fat, high-sugar foods, and it erodes the self-control that healthy habits depend on. Simple, well-studied practices — regular movement, time outdoors, breathing or meditation, and adequate sleep — measurably lower that burden. Reducing stress is not a luxury layered on top of health; it is part of the foundation.

Stay connected

The strength of our relationships rivals classic medical risk factors. A meta-analysis of 148 studies and more than 300,000 people found that strong social ties were associated with about a **50% greater likelihood of survival** — an influence on longevity comparable to not smoking, and greater than that of obesity. Loneliness and isolation carry measurable risk of their own. Investing in family, friendship, and community — living, as much as one can, in a supportive environment — is genuinely a health behavior.

Cultivate gratitude and a positive outlook

Positive psychological well-being — optimism, a sense of purpose, and gratitude — is associated in research with better cardiovascular health and, in people with type 2 diabetes, better blood sugar and lower mortality. Much of that benefit appears to work through behavior: people who feel hopeful and grateful tend to move more, eat better, and sleep better. Simple gratitude practices have improved well-being, sleep, and blood pressure in randomized trials, and are low-risk. A steady attitude of gratitude, rather than constant worry and irritation, is not only a better way to live — it appears to be a healthier one.

A Word on Weight: Let Go of the Shame

Many people who struggle with weight carry shame about it — and that shame can quietly work against them. Research on what is called the cyclic obesity/weight-based stigma model describes a vicious loop: feeling ashamed of one's weight is a chronic stressor, that stress raises cortisol and drives comfort eating and abdominal fat storage, and the resulting weight gain deepens the shame. In other words, **worrying about weight can help maintain it.**

The way out is not more self-criticism. It is to shift attention away from the number on the scale and toward the daily habits in this paper — eating well, moving, sleeping, connecting, and treating oneself with patience. When people focus on living well rather than on policing their weight, the stress eases, the behaviors become sustainable, and for many, the weight begins to take care of itself. Self-compassion, here, is not a soft indulgence; it is a practical strategy supported by the science of stress.

Bringing It Together

None of this requires perfection. The evidence rewards direction and consistency, not flawless execution. A person who eats more plants and fiber, cuts back on processed meat and sugar, walks most days, sleeps enough, stays close to the people who matter, and meets life with gratitude has stacked the deck powerfully in favor of feeling their best — and has done so with changes that are, one at a time, entirely doable.

Start with one. Add the daily Bleinkorn™ toast and an extra serving of vegetables. Take the walk. Guard the sleep. Call the friend. Small, steady steps compound, and the habits reinforce one another until feeling well becomes the natural result of how you live.

Important Disclaimer

This white paper is provided for general educational purposes only and does not constitute medical, nutritional, or psychological advice. It is not a substitute for individualized guidance from a licensed physician or registered dietitian. The research summarized here describes patterns observed across populations; individual needs vary. Consult a qualified healthcare professional before changing your diet, exercise, or sleep habits, or your management of any medical condition — particularly if you are pregnant or breastfeeding, are under 18, take medication (including for diabetes or blood pressure), or have a chronic illness. Nothing here should be used to diagnose or treat any condition.

Selected References

- Reynolds A, Mann J, Cummings J, et al. Carbohydrate quality and human health: a series of systematic reviews and meta-analyses. *Lancet*. 2019;393(10170):434–445.
- Estruch R, Ros E, Salas-Salvadó J, et al. Primary Prevention of Cardiovascular Disease with a Mediterranean Diet Supplemented with Extra-Virgin Olive Oil or Nuts (PREDIMED). *N Engl J Med*. 2018;378:e34.
- Hall KD, Ayuketah A, Brychta R, et al. Ultra-Processed Diets Cause Excess Calorie Intake and Weight Gain: An Inpatient Randomized Controlled Trial of Ad Libitum Food Intake. *Cell Metab*. 2019;30(1):67–77.
- Bouvard V, Loomis D, Guyton KZ, et al (IARC Working Group). Carcinogenicity of consumption of red and processed meat. *Lancet Oncol*. 2015;16(16):1599–1600.
- Woodcock J, Franco OH, Orsini N, Roberts I. Non-vigorous physical activity and all-cause mortality: systematic review and meta-analysis of cohort studies. *Int J Epidemiol*. 2011;40(1):121–138. See also WHO Guidelines on Physical Activity and Sedentary Behaviour, 2020.
- Spiegel K, Tasali E, Leproult R, Van Cauter E. Effects of poor and short sleep on glucose metabolism and obesity risk. *Nat Rev Endocrinol*. 2009;5:253–261 (and related sleep-restriction studies).
- Holt-Lunstad J, Smith TB, Layton JB. Social Relationships and Mortality Risk: A Meta-analytic Review. *PLoS Med*. 2010;7(7):e1000316. See also Holt-Lunstad J, et al. *Perspect Psychol Sci*. 2015;10(2):227–237.
- Tomiyama AJ. Weight stigma is stressful: A review of evidence for the Cyclic Obesity/Weight-Based Stigma (COBWEBS) model. *Appetite*. 2014;82:8–15. See also Tomiyama AJ. Stress and Obesity. *Annu Rev Psychol*. 2019;70:703–718.
- Boehm JK, Kubzansky LD. The heart’s content: the association between positive psychological well-being and cardiovascular health. *Psychol Bull*. 2012;138(4):655–691. See also Jackowska M, et al. *J Health Psychol*. 2016 (gratitude, well-being, sleep, and blood pressure).

Note: full citation details should be confirmed against the published sources during editorial preparation.